













Wayne Safety started manufacturing gumboots an incredible 85 years ago, with Wayne Rubber producing rubber gumboots in KZN. This began a long tradition of manufacturing superior quality gumboots and serving workers right at the heart of industry. Since 1940 no other manufacturer on the continent has supplied more industrial and safety gumboots to the African market.

Ever since our inception, we have focused on what we do best – gumboots, and gumboots alone – allowing us to emerge as specialists in our field and pioneers in both innovation and quality.

Wayne has become a firm favourite in some of the toughest industries. Miners have worn our iconic Egoli gumboot for decades, fondly referring to them as 'mdala-scathu' (mdala iscathulo), which loosely translates to "the old-timer shoes", because they have stood the test of time.

We were the first gumboot manufacturer in Africa to install our own PVC compounding plant which allowed for greater quality control and a quicker manufacturing process. In 2014, Wayne became the first (and proudly remains the only) PU gumboot manufacturer in Africa.

Over the years, we have worked on reducing our carbon footprint in line with our objective of sustainability, and today we produce 35% of all our gumboots from recycled materials. Our Duralight 1 is well-recognised in agricultural sectors and incorporates a mix of virgin and recycled PVC that results in a superior, yet cost-effective, recycled gumboot upon which our customers can trust and rely.

In 2015, we were the first to introduce a fully-integrated metatarsal PVC gumboot to market that was EN20345-accredited. Our gumboots are compliant with all safety standards and regulations, and are manufactured in an ISO 9001-accredited factory to ensure unrivalled quality. This has allowed us to compete with international brands and broaden our global footprint to over 40 countries worldwide.

After 85 years of specialised gumboot manufacturing, innovation and technical achievement, Wayne remains a proudly South African company that supports and services the local economy, establishing ourselves as part of the history of our great country and continent.







MEDIUM/LIGHT DUTY

Offering safety features and protection in wet and muddy conditions, allowing workers to focus on the job at hand with minimal distractions.

Made with recycled PVC, boasting a greener footprint.

Recommended for agriculture, food processing, general purpose, and hygiene industries.



HEAVY DUTY

Tough, hard-wearing boots for extreme conditions, providing comfortable protection for some of the harshest working environments.

The range is most suited for high risk environments.

Recommended for mining, agriculture and construction.



ACCESSORIES

Enhance the comfort and safety features of your gumboots with high-quality accessories that have been specifically designed for Wayne gumboots.

Gumboot accessories include boot fur liners and insoles.

DURALIGHT 1 - MEN'S & LADIES'













Cleaning

NYLON LINER Easy to clean and quick-drying for maximum hygiene

UPPER

Recycled PVC for optimum flexibility and abrasion resistance

















DURALIGHT 2 - MEN'S & LADIES'

Purpose





Processing







MEN'S

LADIES': 3 - 9







NYLON LINER Easy to clean and quick-drying for maximum hygiene


UPPER

Nitrile PVC for maximum durability



LADIES

















DURALIGHT CHELSEA 1 - MEN'S











NYLON LINER Easy to clean and quick-drying for maximum hygiene **GUSSET** Elastic gusset for ease of **LIGHTWEIGHT** entry and exit For enhanced comfort and reduced fatigue **UPPER** Recycled PVC for optimum flexibility and abrasion resistance SOLE Recycled PVC for **CLEATED SOLE** maximum durability Designed to provide slip resistance

SIZES RSA 5 - 12















DURALIGHT CHELSEA 2 - MEN'S & LADIES'





















MEN'S: 5 - 12 LADIES': 3 - 9











EGOLI 1 PVC













NYLON LINER

Easy to clean and quick-drying for maximum hygiene

TOE SPRING

Optimal for walking and kneeling

SOLE

Nitrile PVC for

ultimate durability and protection against oils and chemicals





SIZES RSA 3 - 13







Nitrile PVC

Nitrile PVC

Nitrile PVC

STC







EGOLI 1 NITRILE PVC



















Easy to clean and quick-drying for maximum hygiene

TOE SPRING

Optimal for walking and kneeling

SOLE

Nitrile PVC for ultimate durability and protection against oils and chemicals













WATER RESISTANCE ★★★



^{*} Please note that size 14 is a different design to sizes 3 - 13, but carries the same accreditations

EGOLI 2













Construction

Tapered topline for added comfort and ease of entry

UPPER

Available in PVC for optimum flexibility and abrasion resistance

Broad calf area for enhanced comfort

Improved kick-off spur for ease of entry and exit

Smooth outer sole cleats for enhanced slip resistance and easy cleaning

CLEATED SOLE

SRA-level slip resistance and maximum soil release



Steel mid sole inserted before injection moulding for perfect fit and dependable protection

TOE SPRING

NYLON LINER

Optimal for walking and kneeling

> Side-fitting steel toecap

SOLE

Nitrile PVC for ultimate durability and protection against oils and chemicals





















SIZES RSA 5 - 14









EGOLI 2 - METAGUARD









UPPER

Available in PVC for optimum flexibility and abrasion resistance

SOLE

Available in nitrile PVC for ultimate durability and protection against



walking and kneeling

NYLON LINER

METAGUARD

TOE SPRING

Optimal for

INSERT For maximum

CLEATED SOLE

SRA-level slip resistance and maximum soil release







oils and chemicals













GRIPPER









NYLON LINER

UPPER

Available in recycled PVC for optimum flexibility and abrasion resistance



TOE SPRING

Easy to clean and quick-drying for maximum hygiene

Optimal for walking and kneeling

SOLE

Recycled PVC sole for maximum durability





CLEATED SOLE

Designed to provide maximum slip resistance












RSA 3 - 13











ANKLE MINER











NYLON LINER Easy to clean and quick-drying for maximum hygiene

UPPER -

Available in PVC for optimum flexibility and abrasion resistance

CLEATED SOLE

Designed to provide maximum slip resistance



WATERPROOF

PVC bellows tongue preventing water penetration

TOE SPRING

Optimal for walking and kneeling

SOLE

Available in nitrile PVC for ultimate durability and protection against oils and chemicals

SIZES RSA 5 - 12















MEN'S CHELSEA HD AND GRIPPER













CHELSEA GRIPPER CHELSEA HD























CHEST WADERS







Sanitation

CHEST POCKET

Bib and brace with squared corner chest pocket with single stitched flap & plastic press studs

CONSTRUCTION

300-320gsm olive green polyester reinforced PVC with PVC injection-moulded seamless gumboot construction for 100% waterproof protection

COLOURS -

Available in olive green



BUCKLES

Quick Release buckles on shoulder with 38mm webbing with single row silver reflective stitching

STITCHING

Top stitching on front and back rise, with welding over the stitching

F1998

Recycled PVC Lightweight Duralight Men's available in sizes 5-12

F1999

PVC Heavy Duty Egoli knee length boots available in sizes 3-14** ì€

STC WITH EGOLI 1

^{**} Please note that size 14 is a different design to sizes 3 - 13, but carries the same accreditations

BOOT FUR LINERS

For added comfort and warmth in cold environments









TOP SOCKS

FOOTOLOGY **ELASTOPAN CLIMATE** CONTROL INSOLE

ACC13331

Enhanced comfort, hygiene & protection

Colour: Black Sizes: 2-15

- Fast & complete absorption of humidity (up to 300% higher than standard PU)
- Thermal regulation
- Superior cushioning & anatomical arch support
- ✓ Honeycomb design for added shock absorption & air flow
- ✓ Lightweight & breathable
- ✓ Antifungal & antibacterial
- ✓ Durable & anti-static

LACES



FOOTOLOGY 90CM LACES

ACC13546-BLK

Colour: Black

FOOTOLOGY 110CM LACES

ACC13545-BLK Colour: Black

FOOTOLOGY 180CM LACES

ACC13555-BLK

Colour: Black



SOCKS



FOOTOLOGY SMELTER SOCK

ACC13672

Flame retardant with antibacterial features

Colour: Charcoal Sizes: 1 size fits all

- Flame retardant recommended for high heat conditions
- Antibacterial
- ✓ Made from natural fibres
- ✓ Temperature regulating
- ✓ Moisture wicking & odour resistant
- ✓ Full calf length for added protection against molten splashes
- Reinforced heel & toe areas for cushioning & durability



FOOTOLOGY INDUSTRIAL ANKLET SOCK

ACC13567

Anti-static & antibacterial comfort

Colour: Navy Sizes: 4-8 / 9-12

- Silver-coated stripes knitted into the sock for superior anti-static performance
- ✓ Anti-static effect is permanent & does not diminish over time
- Treated with RUCO-BAC AGP antimicrobial
 - technology eliminates 95% of bacteria within 2 hours
- ✓ Prevents allergies & foot infections
- ✓ Made with eco-conscious materials & methods for an environmentally-friendly sock



OTHER ACCESSORIES



FOOTOLOGY ANTIBACTERIAL FOOT SPRAY

ACC12917

Antiperspirant & antibacterial with a cooling effect

- ✓ Keeps feet dry & sanitised
 ✓ Antiperspirant with a cooling effect
- Reduces foot odour
- ✓ Advanced formula containing antifungal & antibacterial agents

Ace Tophenone	1	Trithanol Amine	3	Tetrahydrofuran	1	Nitric Acid Concentrate	1
Acetaldehyde	2	Tung Oil	2	Toluene	2	Nitric Acid Red Fuming	1
Acetates	1	Turbine Oil	1	Toluene	1	Nitric Acid White Fuming	1
Acetic Acid	3	Turpentine	2	Toluene Di-Isocyanate	1	Nitrobenzine	1
Acetic Anhydride	2	Citric Acid	2	Trichlorethylene	1	Nitromethane	1
Acetone	1	Copper Chloride	3	Trinitrolouene	2	Nitropropane 95.5%	1
Acrylonitrile	1	Cottonseed Oil	3	Vegetable Oil	2	Octyl Alcohol	2
Alcohols	2	Cresols	2	Vinegar	2	Oleic Acid	2
Aluminium Chloride	3	Cutting Oil	2	Water	3	Olive Oil	2
Ammonium Carbonate	1	Cycohexananol	2	Whisky	2	Oxalic Acid	3
Ammonium Chloride	3	Cycolhexane	2	Xylene	1	Oxalic Acid	2
Ammonium Fluoride	3	Diacetone Alcohol	1	Zinc Chloride	2	Paint Remover	1
Ammonium Hydroxide	3	Diesel Oil	3	Hydrofluoric Acid 48%	2	PCBs	1
Ammonium Sulphate	3	Diethylamine	2	Hydrofluoric Acid 48%	1	Pentane	1
Amyl Acetate	1	Di-isobutyl Ketone	1	Hydrogen Gas	3	Perchloretylene	1
Analine	1	Di-Isocynate	2	Hydrogen Peroxide 30%	2	Perchloric Acid	1
Animal Fats	3	Dimethyl Aulphoxide	2	Hydrogen Sulphide	2	Petroleum Oils	3
Aqua Regia	3	Dimethyl Formamide	1	Hydroquinone	2	Peuta	3
Asphalt	1	Dioxane	1	Iso Octane	3	Phenol	3
Benzaldehyde	1	Dyestuff	3	Iso Octane	1	Phenol	1
Benzine	2	Electroless Copper	3	Isobutyl Alcohol	3	Phosphoric Acid	2
Bromine	2	Epoxy Resins	3	Isopropyl Alcohol	3	Pickling Solution	3
Butane	2	Ethers	2	Kerosene	2	Pine Oil	2
Butane Liquid	3	Ethyl Alcohol	3	Lactic Acid	3	Potassium Chloride	3
Butyl Acetate	1	Ethyl Cellulose	2	Laquer Thinners	2	Printing Ik	2
Butyl Alcohol	3	Ethyl Chloride	1	Lauric Acid 36% EtOH	2	Propane	3
Butyraldehyde	3	Ethyl Ether	1	Linoleic Acid	3	Propane	2
Calcium Chloride	3	Ethyl Formate	1	Linseed Oil	2	Propyl Acetate	2
Calcium Hypochlorite	2	Ethyle Acetate	1	Lubricating Oils	3	Propyl Alcohol	3
Calcium Nitrate	3	Ethylene Dichloride	1	M.E.K.	1	Silicon Etch	2
Carbon Disulphide	1	Ethylene Glycol	3	Methyl Bromide	1	Skydrol 500	1
Carbon Tetrachloride	2	Ferric Chloride	3	Methyl Chloride	2	Sodium Chloride	3
Carbon Tetrachloride	1	Ferric Sulphate	3	Methyl Isobutyl Ketone	2	Sodium Cyanide	3
Castor Oil	3	Formaldehyde	3	Methyl Methacrylate	2	Sodium Hydroxide	2
Castor Oil	2	Formic Acid	2	Methylamine	2	Sodium Hydroxide < 50%	3
Cellosole Acetate	2	Freon TF	1	Methylene Chloride	1	Sodium Peroxide	2
Chloride	2	Freons (except 22)	3	Mineral Oil	2	Stoddard Solvent	2
Chlorine	2	Furfural	1	Mineral Oils	3	Styrene	1
Chlorobenzine	1	Gasoline	3	Mineral Spirits	2	Sulphur Dioxide	2
Chloroform	1	Gasoline	1	Monoethanolamine	3	Sulphuric Acid 95%	2
Chloronaphthalene	1	Glycerol	3	Muriatic Acid	3	Sulphuric Acid Fuming	1
Chlorothene VG	1	Hydraulic Fluid-Ester	1	Naptha	1	Sulpur Chloride	2
Chrome Plating Solution	3	Hydraulic Oils	3	Natural Gas	3	Synthetic Oils	3
Chromic Acid	1	Hydrochloric Acid 38%	3	Nitric Acid 10%	3	Tannic Acid 65%	3
Citric Acid	3	Hydrocynanic Acid	2	Nitric Acid 70%	2		

1 Dissolves 2 Fair: 16 - 30% change 3 Excellent: 0.3% change

This table should be used as a general guide only. Performance in the actual working environment will depend upon the following: temperature of chemicals, concentrations of chemicals and duration of exposure.



YOUR SYMBOL OF CONFIDENCE

Phone: +27 31 710 0596

40 Gillitts Road, Pinetown, 3610, South Africa



